PRINTING CODE. Amendments: Whenever an existing statute (or a section of the Indiana Constitution) is being amended, the text of the existing provision will appear in this style type, additions will appear in this style type, and deletions will appear in this style type.

Additions: Whenever a new statutory provision is being enacted (or a new constitutional provision adopted), the text of the new provision will appear in **this style type**. Also, the word **NEW** will appear in that style type in the introductory clause of each SECTION that adds a new provision to the Indiana Code or the Indiana Constitution.

Conflict reconciliation: Text in a statute in *this style type* or *this style type* reconciles conflicts between statutes enacted by the 2006 Regular Session of the General Assembly.

SENATE ENROLLED ACT No. 155

AN ACT to amend the Indiana Code concerning environmental law.

Be it enacted by the General Assembly of the State of Indiana:

SECTION 1. IC 13-23-5-1 IS AMENDED TO READ AS FOLLOWS [EFFECTIVE UPON PASSAGE]: Sec. 1. (a) Subject to section 2 of this chapter, and except as provided in subsection (b), an underground storage tank, whether of single or double wall construction, may not be installed before the effective date of the rules adopted under IC 13-23-1-2 for the purpose of storing regulated substances unless:

- (1) the tank will prevent releases due to corrosion or structural failure for the operational life of the tank;
- (2) the tank is:
 - (A) cathodically protected against corrosion;
 - (B) constructed of noncorrosive material;
 - (C) steel clad with a noncorrosive material; or
 - (D) designed to prevent the release or threatened release of any stored substance; and
- (3) the material used in the construction or lining of the tank is compatible with the substance to be stored; and
- (4) after July 1, 2007, all newly installed or replaced piping connected to the tank meets the secondary containment requirements adopted by the board.
- (b) An underground storage tank system that contains alcohol blended fuels composed of greater than fifteen percent (15%)



C





y

alcohol is a petroleum UST system (as defined in 329 IAC 9-1-36 as in effect January 1, 2007) and may be installed during the period referred to in subsection (a) if the system is otherwise in compliance with rules adopted by the board concerning technical and safety requirements relating to the physical characteristics of underground petroleum storage tanks and ancillary equipment, including dispensing equipment, used in the storing or dispensing of alcohol blended fuels for purposes of:

- (1) IC 13-23-8-3(1)(A); and
- (2) all other provisions of this article.
- (c) Owners and operators of underground storage tank systems that store, carry, or dispense alcohol blended fuels composed of greater than fifteen percent (15%) alcohol that comply with subsection (b) are considered to meet the standards of:
 - (1) compatibility under subsection (a)(3); and
 - (2) compliance for purposes of:
 - (A) IC 13-23-8-3; and
 - (B) all other provisions of this article.

SECTION 2. IC 13-23-8-3 IS AMENDED TO READ AS FOLLOWS [EFFECTIVE JULY 1, 2007]: Sec. 3. For the purposes of section 2 of this chapter, the following amounts shall be used:

- (1) If the underground petroleum storage tank that is involved in the occurrence for which claims are made:
 - (A) is not in compliance with rules adopted by the board concerning technical and safety requirements relating to the physical characteristics of underground petroleum storage tanks before the date the tank is required to be in compliance with the requirements; and
 - (B) is in compliance on a date required under the requirements described under section 4 of this chapter at the time a release was discovered;

the amount is thirty-five thousand dollars (\$35,000).

- (2) If the underground petroleum storage tank that is involved in the occurrence for which claims are made:
 - (A) is in compliance with rules adopted by the board concerning technical and safety requirements relating to the physical characteristics of underground petroleum storage tanks before the date the tank is required to be in compliance with the requirements; and
 - (B) is not a double walled underground petroleum storage tank with piping that has secondary containment;

the amount is thirty twenty-five thousand dollars (\$30,000).



C





y

(\$25,000).

- (3) If the underground petroleum storage tank that was involved in the occurrence for which claims are made:
 - (A) is in compliance with rules adopted by the board concerning technical and safety requirements relating to the physical characteristics of underground petroleum storage tanks before the date the tank is required to be in compliance with the requirements; and
 - (B) is a double walled underground petroleum storage tank with piping that has secondary containment;

the amount is twenty-five twenty thousand dollars (\$25,000). (\$20,000).

- SECTION 3. [EFFECTIVE UPON PASSAGE] (a) An underground storage tank system that contains fuel composed of greater than fifteen percent (15%) alcohol is considered to comply with IC 13-23-5-1(b), as added by this act, if either of the following applies:
 - (1) The system predates the effective date of this act.
 - (2) The system predates the solid waste management board's adoption after the effective date of this act of any additional rules concerning technical and safety requirements for storing and dispensing alcohol blended fuel.
- (b) Replacement tanks or ancillary equipment installed in existing underground storage tank systems storing or dispensing alcohol blended fuels must meet the standards contained in additional rules adopted by the solid waste management board as described in subsection (a)(2) only if the installation occurs after the adoption of those rules.

SECTION 4. An emergency is declared for this act.

P

y



President of the Senate	
	_ C
President Pro Tempore	
Speaker of the House of Representatives	O
Governor of the State of Indiana	_ p
Date: Time:	_ y

